

LAMFLOOR®

Natural wood floor
ARCHITECTURAL QUALITY & STRUCTURAL PERFORMANCE



760 ,Chemin de la Moraine
St-Félicien (QC) Canada
G8K 0A1

1-888-679-2647
info@pflamco.com



Roof Span: Up to 6'0"

Floor Span: Up to 4'0"

- **An Engineered Wood Product**
- **Available in Jack Pine**
- **Wide boards and rustic look**
- **For interior use as flooring and/or ceiling**
- **Structural strength: with a thickness of 1 ¼", it can be installed directly on the floor joists or roof rafters**
- **3 steps in 1 installation for mezzanines: LAMFLOOR® replaces the ceiling, subflooring and flooring**
- **Savings on labor, materials and time**
- **All boards have the same dimensions**
- **Can be used for decking**
- **Kiln dry: 8% or less moisture content for better stability**



A GREENER PROCESS

Our Lamco process used to make the LAMFLOOR® wide boards generates zero waste. Everything is recycled from rejected raw materials to saw dust. This process, by laminating and finger jointing small size lumber into bigger boards, is also a green solution to the scarcity of bigger trees needed to make lumber of large dimensions.

www.LamcoEWP.com

DESCRIPTION

Lamfloor® is the LAMCO wide board wood floor made of **jack pine** or **larch**. The Lamco process, by laminating and finger jointing small size lumber into bigger boards, is a green solution to the scarcity of bigger trees needed to make lumber of large dimensions. In addition, this process generates zero waste. All the raw materials used to make Lamfloor® are dried at low temperature with controlled moisture content to eliminate dimension variations after installation. Lamfloor® can be used for mezzanines or any other applications where a nice appearance on both sides of the board is needed.

Jack pine

- Similar to white pine, but denser and with natural knots
- Has a beautiful visible wood grain
- Easy to stain or finish

Larch

- The hardest of softwoods
- Has a unique wood grain with more accents
- Has apparent annual growth rings that create a pleasant mix of colors that stand out once finished.

DIMENSIONS

Dimensions Jack Pine				
Profile	Length	Nominal dimension	Exposed Width (Loss of coverage :12,5%)	Coverage by package (24 boards of 12')
		Real		
	12' or 16'	2" x 12"	10 1/2"	covers 252 sqft
		1 1/4" x 10 3/4"		



Ceiling side

Floor side



760 ,Chemin de la Moraine
St-Félicien (QC) Canada
G8K 0A1

www.LamcoEWP.com

FINISH

- Lamfloor® is sold unfinished. It is preferable to sand and apply varnish or finish oil to the floor to increase its durability.
- Because of its rustic floor character, Lamfloor® boards can contain natural defects that may require some final touch-ups.

HANDLING AND STORAGE

- **Must always be stored inside.**
- To minimize expansion or shrinking of your floor, it is recommended to maintain the relative humidity between 40% and 55%.

INSTALLATION

- Lay a line of construction adhesive (10") on the beams or joists.



- Place the Lamfloor® board on the beams.



- Fasten to each joist with a 2 1/4" screw in the male strip. For easier fastening, we recommend predrilling some fastening holes in the male strip.

